

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SCAQMD does not endorse or warranty any specific product or manufacturer

**AMERICAN STANDARD WATER HEATERS
 (Certified @ 10 ng/J NOx)**

AMERICAN STANDARD	Capacity (Gallons)	Input (BTU/Hr)
G-30L-1-3-6 G-30L-1-3-12 G-30L-2-3-6 G-30L-2-3-12	30	35,000
G-40L-1-3-6 G-40L-1-3-12 G-40L-2-3-6 G-40L-2-3-12	40	37,000
G-50L-1-3-6 G-50L-1-3-12 G-50L-2-3-6 G-50L-2-3-12	50	40,000
G-30T-1-3-6 G-30T-1-3-12 G-30T-2-3-6 G-30T-2-3-12	30	35,000
G-40T-1-3-6 G-40T-1-3-12 G-40T-2-3-6 G-40T-2-3-12	40	40,000
G-50T-1-3-6 G-50T-1-3-12 G-50T-2-3-6 G-50T-2-3-12	50	40,000
G50T-1-4-6 G-50T-1-4-12 G-50T-2-4-6 G-50T-2-4-12	50	48,000

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SCAQMD does not endorse or warranty any specific product or manufacturer

A.O. SMITH (AMERICAN WATER HEATER COMPANY)
(Certified @ 10 ng/J NOx)

These models may have any combination of suffixes, O, X, M, H, or C

American Water Heater	U.S. Craftmaster	Reliance	A.O. Smith	State	Penfield	Sears	Capacity (Gallons)	Input (BTU/Hr)
UG(1,3,5,6,8,9,10,12)(1,2)40T403N	UG(1,2)(A,E,F,H,J)4040T3N NU40T(1,3,6,9,12)(1,2)-403	6 40UBRT 6 40UOCT 9 40UKRT (6,9) 40U(B,K)CT	GCHN-40 GNR-40	GS6 40UBRT (G) GS6 40UOCT (G)		153.330642 153.330942 153.331242 153.330660 153.330960 153.331280 153.330220 153.330250 153.330280	40	40,000
UG(1,3,5,6,8,9,10,12)(1,2)30T303N	UG(1,2)(A,E,F,H,J)3030T3N NU30T(1,3,6,9,12)(1,2)-303	6 30UORT	GCHN-30	GS6 30UORT (G)		153.330200-	30	30,000
UG(1,3,5,6,8,9,10,12)(1,2)50T403N	UG(1,2)(A,E,F,H,J)5040T3N NU50T(1,3,6,9,12)(1,2)-403	6 50UBRT 6 50UOCT 9 50UKRT (6,9) 50U(B,K)CT	GCHN-50 GNR-50	GS6 50UBRT (G) GS6 50UOCT (G)		153.330652 153.330952 153.331252 153.330970 153.331290 153.330230 153.330270 153.330290	50	40,000
MFG(1,6,9)(1,2)30T303NOV (Mobile Home)*	MFG(1,2)(A,F,H)3030T3NOV	6 30YJMT 100 6 30YJMTD 100	AFMV 30 100	GS6 30YOMAT 100 SCI 30YOMAT 100		153.333870 153.333880	30	30,000
MFG(1,6,9)(1,2)40T403NOV (Mobile Home)*	MFG(1,2)(A,F,H)4040T3NOV	6 40YJMT 100 6 40YJMTD 100	AFMV 40 100	GS6 40YOMAT 100 SCI 40YOMAT 100		153.333970 153.339980	40	40,000
NGM 30-35.5 (Mobile Home)*		6 30GOMT*	FMV 30*	GS6 30YOMT SCI 30YOMT	6 30YOMT	153.336340	30	35,500
NGM 40-35.5 (Mobile Home)*		6 40GOMT	FMV 40	GS6 40YOMT SCI 40YOMT	6 40YOMT	153.336444	40	35,500

*MFG - & NGM - series are Mobile Home Water Heaters certified @ 40 ng/J or 55 ppm NOx

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SCAQMD does not endorse or warranty any specific product or manufacturer

A.O. SMITH (AMERICAN WATER HEATER COMPANY)
(Certified @ 10 ng/J NO_x)

These models may have any combination of suffixes, O, X, M, H, or C

American Water Heater	U.S. Craftmaster	Reliance	A.O. Smith	State	Lochinvar	Capacity (Gallons)	Input (BTU/Hr)
UPVG(6,9,12)240T42NV	UPVG2(F,H,J)4042TNV	(6,8,10,12)40UBVIT	GPNH-40	GS(6,X)40UBVIT	UPN0404ES	40	42,000
UPVG(6,9,12)250T42NV	UPVG2(F,H,J)5042TNV	(6,8,10,12)50UBVIT	GPNH-50	GS(6,X)50UBVIT	UPN0504ES	50	42,000
UG(6,9,12)250T504NV	UG2(F,H,J)5050T4NV		GCNT-50	GS6 50URRT	UTN05050	50	50,000
DVUG(6,9,12)240S36NV		6 40 UBDS L	GDNL 40L 100	GS6 40 UBDS L	UVN040 40ST	40	36,000
DVUG(6,9,12)250T38NV		6 50 UBDT L	GDNT 50L 100	GS6 50 UBDT L	UVN050 40ST	50	38,000

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SCAQMD does not endorse or warranty any specific product or manufacturer

BRADFORD WHITE
(Certified @ 10 ng/J NOx)

BRADFORD WHITE	BRADFORD WHITE SOLAR	VELUX SOLAR	Capacity (Gallons)	Input (BTU/Hr)
U1-30S6FRN			30	30,000
U1-30T6FRN			30	32,000
U4-30T6FRN			30	32,000
U1-40T6FRN			40	40,000
U1-403T6FRN			40	40,000
U4-40T6FRN			40	40,000
U1-403S6FRN			40	40,000
U1-XR-403S6FRN			40	40,000
U4-403S6FRN			40	40,000
U1-5036FRN			50	40,000
U4-5036FRN	SDW4U5036FRN		50	40,000
U1-50L6FRN			48	40,000
U1-404T6FRN			40	50,000
U1-504S6FRN			50	50,000
U1-60T6FRN			60	40,000
U4-60T6FRN			60	40,000
U2-XR504T6FRN			48	55,000
U2-XR65T6FRN	SDW2U65T6FRN	TFF 060 2205US	65	55,000
U1TW40S6FRN			40	40,000
U2TW65T6FRN			65	60,000
U1TW50S6FRN			50	40,000
U1TW60T6FRN			60	42,000
U2TW50T6FRN			48	60,000
U4TW40T6FRN			40	40,000
U4TW50T6FRN			50	40,000
U4TW60T6FRN			60	40,000

**SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
 RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
 LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121**

Note: The SCAQMD does not endorse or warranty any specific product or manufacturer

**BRADFORD WHITE
 (Certified @ 10 ng/J NOx)**

BRADFORD WHITE Base Model	Capacity (Gallons)	Comments	Input (BTU/Hr)
UDS140S6FRN	40	DV	38,000
UDS150S6FRN	50	DV	38,000
UDH1504T6FRN	48	DV	45,000
UDH165T6FRN	65	DV	45,000
UDH175S6FRN	75	DV	50,000
UDH50T45FR3N	48	DV	45,000
UDH65T45FR3N	65	DV	45,000
UDH75T50FR3N	75	DV	50,000
UPDX140S6FRN	40	PDV	40,000
UPDX150S6FRN	50	PDV	40,000
UPDX250T6FRN	48	PDV	50,000
UPDX265T6FRN	65	PDV	55,000
UPDX275T6FRN	75	PDV	55,000
UPDX50S50FR3N	48	PDV	50,000
UPDX65S55FR3N	65	PDV	55,000
UPDX75S55FR3N	75	PDV	55,000

DV—Direct Vent, PDV—Power Direct Vent

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SCAQMD does not endorse or warranty any specific product or manufacturer

RHEEM SALES COMPANY
(Certified @ 10 ng/J NOx)

Rheem	Rheem Professional	Ruud	Ruud Professional	Richmond	GE	Hot Point	Gallons	INPUT (Btu/hr)
22X50FN 22V50FN 22V50FNVE XG48T06EN40U0 22V50FNE2 PROG48-40URH58	RHG PRO50FN	P2-50FN M2-50FN	RUG PRO50FN	6G50-40FN 12G50-40FN 9G50-40FN	GG48T06AXK00 SG48T12AXK00 PG48T09AXK00	---	50	40,000
22V40FN 22V40FNVE XG38T06EN38U0 22X40FN 22V40FNE2 PROG38-38URH60	RHG PRO40FN	P2-40FN M2-40FN	RUG PRO40FN	6G40-40FN 12G40-40FN 9G40-40FN	HG38T01AXK00 GG38T06AXK00 SG38T12AXK00 PG38T09AXK00	---	40	38,000
22V30FN 22V30FNVE XG28T06EN30U0 22X30FN PROG28-30URH62	RHG PRO30FN	P2-30FN M2-30FN	RUG PRO30FN	6G30-30FN	GG28T06AXK00 HG28T01AXK00 PG28T09AXD SG28T12AXD	---	30	30,000
22V40SFN 22V40SFNVE XG38S06EN36U0 22X40SFN PROG38S-36URH60	22V40S PROFN	P-240SFN M2-40SFN	P2-40S PROFN	6G40S-36FN 9G40S-36FN	GG38S06AXK00 PG38S09ASK00	HG38S01AXK00	40	36,000
22VR40FN 22VR40FNVE XG40T06HN38U0 XG40T09HN38U0 XG40T12HN38U0 22XR40FN PROG40-38URH62	RHG PRO40FN	P2R-40FN M2R-40FN	RUG PRO40FN	6G40V-38FN 12G40V-38FN	GG40T06TXK00 SG40T12TXK00	---	40	38,000
22V40FDVX* 22I40FDVX* PROG40-36NRH59MHDVX*				MV40FDVX			40	36,000

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SCAQMD does not endorse or warranty any specific product or manufacturer

Rheem	Rheem Professional	Ruud	Ruud Professional	Richmond	GE	Hot Point	Gallons	INPUT (Btu/hr)
22V50FDVX* 22I50FDVX* PROG50-36NRH59MHDVX*				MV50FDVX			50	36,000
22VR50FN 22VR50FNVE XG50T06HN36U0 XG50T09HN36U0 XG50T12HN36U0 22XR50FN PROG50-36URH62	RHG PRO50FN	P2R-50FN M2R-50FN	RUG PRO50FN	6G50V-36FN 12G50V-36FN	GG50T06TXK00 SG50T12TXK00	---	50	36,000
42V60FN 42V60FNVE XG60T06EN45U0 PRO+G60-45URH56	RHG PRO60FN	PH2-60FN	RUG PRO60FN	---	SG60T12YXS10	---	60	45,000
42VP40FN PROG40-36URH67PV	---	PVP40FN	---	6G40PV-36FN	---	---	40	36,000
42VP50FN PROG50-38URH67PV	---	PVP50FN	---	6G50PV-38FN	---	---	50	38,000
22V30FT* 22I30FT* PROG30-32NRH61MH* PROG30-26NRH61MHH*				6V30FT*	GG30T06MSK01*		30	32,000
22V40FT* 22I40FT* PROG40-34NRH59MH* PROG40-34NRH59MHH*				6V40FT*	GG40T06MSK01*		40	34,000
22V50FT* 22I50FT* PROG40-38NRH58MH* PROG40-38NRH58MHH*				6V50FT*	GG50T06MSK01*		50	38,000

* Mobile Home Water Heaters certified @ 40 ng/J or 55 ppm NOx

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
RULE 1121 – CONTROL OF NITROGEN OXIDES FROM RESIDENTIAL TYPE NATURAL GAS-FIRED WATER HEATERS
LIST OF CERTIFIED UNITS PURSUANT TO RULE 1121

Note: The SCAQMD does not endorse or warranty any specific product or manufacturer

Manufacturers Contact Information

Manufacturer	Contact Name	Phone No.	E-mail
American Standard Water Heaters	Mr. James E. Bridegum	800-900-9063 ext 4	Bridegum@att.net
A. O. Smith Water Products Company	Mr. G. Russell Haynes	423-975-2473	ruhaynes@hotmail.com
Bradford White Corp.	Mr. D. J. (DJ) Nethercot	269-795-3364	DNethercot@bradfordwhite.com
Rheem Sales. Company	Ms. Kennetha Wilson	334-213-3856	Kennetha.wilson@rheem.com

For questions regarding AQMD Rule 1121 certification, please contact:

Rizaldy Calungcagin
Air Quality Specialist
(909) 396-2315
rcalungcagin@aqmd.gov